



## PRODUCT RECALL

**Subject: Recall of Closicare Plus Selenium Sustained Action Oral Anthelmintic and Flukicide for Sheep (APVMA No. 50323)**

Following consultation with the Australian Pesticides & Veterinary Medicines Authority, Virbac (Australia) Pty Limited is recalling a single batch of Closicare Plus Selenium Sustained Action Oral Anthelmintic and Flukicide for Sheep (APVMA No. 50323), batch 60820V1 with an expiry date of 31 August 2021.

The recall has been initiated because the product may not meet specification to the end of shelf life, with samples tested returning low levels of the active constituents in the product. As there may be a very low potential risk to the safety or efficacy of the product, Virbac (Australia) Pty Limited is instituting a voluntary recall purely as a precautionary measure.

To assist us with the recall, please check if you have any stock of Closicare Plus Selenium Sustained Action Oral Anthelmintic and Flukicide for Sheep, batch 60820V1. If you do please contact Virbac (Australia) Pty Limited by email [orders@virbac.com.au](mailto:orders@virbac.com.au) or by phone on **1800 242 100**.

PLEASE DO NOT SEND ANY STOCK TO VIRBAC. A Virbac representative will contact you to arrange collection of affected stock.

Virbac sincerely regrets any inconvenience this product recall may cause you. Should you have any questions relating to the above, please do not hesitate to contact any of our team on 1800 242 100.

Yours sincerely,

A handwritten signature in black ink, appearing to read "John Embling", is written over a light blue horizontal line.

John Embling  
SANZA Regional Director  
Virbac (Australia) Pty Limited